

Grow-Genius Mono-Silicic

Section 1: Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier

Product Name: Supplier:	Grow-Genius Mono-Silicic Grow Genius Ltd 71 - 75 Shelton Street Covent Garden London United Kingdom WC2H 9JQ
Telephone:	+44 (0)7966146071
Guaranteed by:	Central Coast Garden Products, Inc. 1354 Dayton Street, Unit N Salinas, CA 93901
Telephone:	(831)757-4733

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Uses advised against: Fertiliser. All uses not specified in this section or in section 7.3.

1.3 Emergency telephone

Emergency Telephone	Type of Assistance	Opening Hours
0845 4647	England and Wales: NHS Direct – 24 Hours	
	Health advice and assistance	
08454 242424	Scotland: NHS24	24 Hours

Section 2: Hazards identification

2.1 Classification of the Substance and Mixture

CLP Regulation (EC) n°1272/2008:	Classification of this product has been carried out in accordance with	
	CLP Regulation (EC) N° 1272/2008.	
	Flam. Liq. 3: H226	
	Skin Irrit. 2: H315	
	Eye Dam. 1: H318	
	Acute Tox. 4: H332	
	STOT SE 3: H335	
	Aquatic Chronic 3: H412	

2.2 Label elements

Hazard St	atements:
-----------	-----------

Flam. Liq. 3: H226 - Flammable liquid and vapour Eye Irrit. 2: H319 - Causes serious eye irritation Eye Dam. 1: H318 - Causes serious eye damage Acute Tox. 4: H332 - Harmful if inhaled STOT SE 3: H335 - May cause respiratory irritation Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects

Hazard Pictograms:



Version: 2 Last updated: 05/18/2020

Grow Genius Mono Silicic Acid

Signal Words:	Danger
Precautionary Statement:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Prevention	smoking
	P233 - Keep container tightly closed
	P242 - Use only non-sparking tools
	P243 - Take precautionary measures against static discharge
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
	P264 - Wash hands and other contacted skin thoroughly after handling
	P271 - Use only outdoors in a well ventilated area
	P280 - Wear Protective gloves/protective clothing/eye protection/face protection
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water.
Response	P303+P361+P338 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTRE/doctor if you feel unwell.
	P321 - Specific treatment (see % on this label).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P370+P378 - In case of fire: Use carbon dioxide or foam to extinguish.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste contractor.
Disposal	
2.3 Other Hazards	

Other Hazards

PBT not identified as a PBT substance

Section 3: Composition/information on ingredients

3.1 Mixtures

In accordance with Annex II of Regulation (EC) n°1907/2006

Identification	Chemical name/Classification		Concentration
CAS: 78-10-4	Tetraethyl silicate (Tetraethylacetate)		
EC: 201-083-8	Regulation 1272/2008	Regulation 67/548/EEC / 1999/45/EC	70-80%
Index: 014-005-00-0	Flam. Liq. 3: H225, Eye Irrit. 2: H319, Acute		70-80%
REACH: 01-2119496195-28	Tox. 4: H332, STOT SE 3: H335		
Identification	Chemical name/Classification		Concentration
CAS: 134180-76-0	Polyether modified polysiloxane		
EC: Non-applicable	Regulation 1272/2008	Regulation 67/548/EEC / 1999/45/EC	1-10%
Index: Non-applicable	Acute Tox. 4: H312+H332, Eye Irrit. 2: H319,		1-10%
REACH: Non-applicable	Aquatic Chronic 2: H411	Xn; R20/21 Xi; R38-41 N; R51/53	
Identification	Chemical name/Classification Conc		Concentration
CAS: 68131-40-8	Alcohols C11-C15 Secondary Ethoxylated		
EC: Non applicable	Regulation 1272/2008	Regulation 67/548/EEC / 1999/45/EC	10-20%
Index: Non-applicable	Acute Tox. 4: H302, Skin Irrit. 2: H316, Eye		10-20%
REACH: Non-applicable	Dam. 1: H318, Acute Tox. 4: H332	Xn; R22 Xi; R41	
Identification	Chemical name/Classification		Concentration
CAS: 11099-06-2	Ethylpolysilicate		
EC: 234-324-0	Regulation 1272/2008	Regulation 67/548/EEC / 1999/45/EC	1-10%
Index: Non-applicable	Flam. Liq. 3: H226, Eye Irrit. 2: H319, Acute		1-10%
REACH: Non-applicable	Tox. 4: H332, STOT SE 3: H335		

Further Information: Product Shelf Life

Recommended shelf life 3 years from date of delivery.

Section 4: First aid measures

4.1 Description of first aid measures

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention.

By eye contact: Rinse immediately with plenty of water. Contact lenses should be removed. By Ingestion: DO NOT INDUCE VOMITING. Rinse mouth thoroughly. 4.2 Most Important symptoms and effects, both acute and delayed: By Inhalation: High concentration of vapour in enclosed space may cause irritation, headaches and nausea. Harmful by inhalation. By Skin Contact: May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin. Harmful in contact with skin.	By inhalation:	Move the exposed person to fresh air.	
By Ingestion: DO NOT INDUCE VOMITING. Rinse mouth thoroughly. 4.2 Most Important symptoms and effects, both acute and delayed: By Inhalation: High concentration of vapour in enclosed space may cause irritation, headaches and nausea. Harmful by inhalation. By Skin Contact: May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin. Harmful in contact with skin. By Eye contact: Harmful. Causes serious eye damage. By Ingestion: May cause irritation to mucous membranes. Harmful if swallowed.	By skin contact:	Remove contaminated clothing. Wash with water and soap as a precaution.	
4.2 Most Important symptoms and effects, both acute and delayed: By Inhalation: High concentration of vapour in enclosed space may cause irritation, headaches and nausea. Harmful by inhalation. By Skin Contact: May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin. Harmful in contact with skin. By Eye contact: Harmful. Causes serious eye damage. By Ingestion: May cause irritation to mucous membranes. Harmful if swallowed.	By eye contact:	Rinse immediately with plenty of water. Contact lenses should be removed.	
By Inhalation:High concentration of vapour in enclosed space may cause irritation, headaches and nausea. Harmful by inhalation.By Skin Contact:May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin. Harmful in contact with skin.By Eye contact:Harmful. Causes serious eye damage.By Ingestion:May cause irritation to mucous membranes. Harmful if swallowed.	By Ingestion:	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	
by inhalation. by inhalation. By Skin Contact: May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin. Harmful in contact with skin. By Eye contact: Harmful. Causes serious eye damage. By Ingestion: May cause irritation to mucous membranes. Harmful if swallowed.	4.2 Most Important sym	ptoms and effects, both acute and delayed:	
By Eye contact: contact with skin. By Ingestion: May cause irritation to mucous membranes. Harmful if swallowed.	By Inhalation:		
By Ingestion: May cause irritation to mucous membranes. Harmful if swallowed.	By Skin Contact:		
, c	By Eye contact:	Harmful. Causes serious eye damage.	
1.2 Indication of any immediate medical attention and special treatment needed	By Ingestion:	May cause irritation to mucous membranes. Harmful if swallowed.	
	1.3 Indication of any imr	nediate medical attention and special treatment needed	

TREAT SYMPTOMATICALLY. If you feel unwell, seek medical advice. Show the label where possible. Show this safety data sheet to the

	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist. Show this safety data sheet to the doctor in attendance.
By Skin Contact: By Eve Contact:	Remove contaminated clothing. Seek medical attention if irritation or symptoms persist. Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if
	irritation or symptoms persist. If swallowed, seek medical advice immediately and show container or label.

Section 5: Fire-fighting measures

doctor in attendance.

5.1 Extinguishing media	5.1 Extinguishing media		
Extinguishing media:	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
5.2 Special hazards arising from t	he substance or mixture		
Exposure hazards:	Burning produces irritating, toxic and obnoxious fumes.		
5.3 Advice for firefighters			
Advice for fire-fighters:	Wear suitable respiratory equipment when necessary.		
Additional provisions:	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		

Section 6: Accidental release measures

6.1 Personal precautions, prote	ctive equipment and emergency procedures	
Personal precautions:	Wear suitable protective equipment. Flammable liquid. Avoid Sparks, flames, heat and sources of ignition.	
6.2 Environmental precautions		
Environmental precautions:	Advise local authorities if large spills cannot be contained.	
6.3 Methods and material for co	ontainment and cleaning up	
Clean-up procedures:	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.	
6.4 Reference to other sections		
Reference to other sections:	See section 2, 7, 8 and 13 for further information.	
Section 7: Handling and stora	ge	
7.1 Precautions for safe handlin	g	
Precautions for safe handling:	Adopt best manual handling considerations when handling, carrying and dispensing.	
7.2 Conditions for safe storage,	including any incompatibilities	
General conditions for storage:	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct sunlight. Store in a well ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.	
7.3 Specific end use(s)		

Specific end use(s):

No data is available for this product.

Section 8: Exposure controls/personal protection	

8.1 Control Parameters

Substances whose occupational exposure limits have to be monitored in the work environment. There are no environmental limits for the substances contained in the product.

DNEL (Workers): DNEL (General population): PNEC: Non-applicable Non-applicable Non-applicable

Safety Data Sheet

Grow Genius Mono Silicic Acid

8.2 Exposure controls



A - General security and hygiene measures in the work place

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

B - Specific Respiratory Protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

C - Specific protection for the hands

Wear Rubber gloves.

D - Ocular and facial protection

Avoid contact with eyes. If splashes are likely to occur wear safety glasses with side shields.

E - Bodily protection

Wear suitable protective clothing.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container.

Volatile organic compounds

Non-applicable

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Colour:	Clear
Odour:	Slight
Odour threshold:	No data available
pH:	No data available
Melting point:	No data available
Initial boiling point:	No data available
Flash point:	35°C
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Relative density:	0.95-0.96 (H2O = 1 @ 20°C)
Partition coefficient:	No data available
Autoignition coefficient:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidising properties:	No data available
Solubility:	Miscible in water

9.2 Other Information

Conductivity:	No data available
Surface tension:	No data available
Gas group:	No data available
Benzene content:	No data available
Lead content:	No data available
VOC (Volatile organic compounds)	No data available

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity:

Flammable liquid. Stable under normal conditions.

Chemical stability:

10.2 Chemical stability

Flammable liquid. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions:

Oxidising agents. Combustible materials.

10.4 Conditions to avoid				
Conditions to avoid:	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct sunlight.			
10.5 Incompatible materials				
Incompatible materials:	Oxidising agents			
10.6 Hazardous decomposition products				
Haz. Decomposition Products:	Decomposition Products: No hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.			

Section 11: Toxicological information

11.1 Information on toxicological effects				
Skin corrosion/irritation:	May cause irritation to skin.			
Serious eye damage/irritation:	Not anticipated under normal conditions of use. Causes serious eye damage.			
Respiratory or skin sensitisation:	Not anticipated under normal conditions of use. May cause irritation to respiratory system. Causes skin irritation			
Repeated or prolonged exposure:	Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. Prolonged contact may cause defatting of the skin.			

Section 12: Ecological information

12.1 Toxicity

Alcohols C11-C15 Secondary Ethoxylated

Acute oral toxicity (LD50): >3000 mg/kg [Rat]. Acute dermal toxicity (LD50): >2000 mg/kg [Rabbit] **Ecotoxicity**

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Ecotoxicity in water (LC50):4.01 mg/l 48 hours [Daphnia (daphnia)].

4.9 mg/l 96 hours [Fish (Fathead Minnow (Pimephales promelas))]

3.2 mg/l 48 hours [Daphnia (daphnia)]

12.2 Persistence and degradability

Result: Readily biodegradable. Biodegradation: 95 % Exposure time: 28 d Method: OECD Test Guideline 301F GLP: no

12.3 Bioaccumulative potential

Accumulation in organisms and environment is not expected

12.4 Mobility in soil

This product is soluble in water. Adsorption/Soil Medium: water - soil log Koc: ca. 2.7 - 3.2 Method: estimated

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or vPvB

12.6 Other adverse effects

Effect on ozone layer : No additional applicable information available

Effect on the global warming : No known ecological damage caused by this product.

13.1 Waste treatment methods

Waste treatment methods:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of packaging:

Do not reuse empty containers. Dispose of empty container in compliance with local and national regulations.

Section 14: Transport information



Transport of dangerous goods by land		Transport of dangerous goods by sea	
With regard to ADR 2015 and RID 2015:		With regard to IMDG 37-14	
14.1 - UN number:	UN1993	14.1 - UN number:	UN1993
14.2 - UN proper shipping name:	FLAMMABLE LIQUID N.O.S.	14.2 - UN proper shipping name:	FLAMMABLE LIQUID N.O.S
	(contains Tetraethyl silicate		(contains Tetraethyl silicate
	solution)		solution)
14.3 - Transport hazard class(es):	ADR/RID:3	14.3 - Transport hazard class(es)	IMDG: 3
Labels:	3	Labels:	Non-applicable
14.4 - Packing group	III	14.4 - Packing group	III
14.5 - Dangerous for the env.:	No	14.5 - Dangerous for the env.:	No
14.6 - Special precautions for user		14.6 - Special precautions for user:	
Special regulations:	Hazard ID 30	Special regulations:	Non-applicable
Tunnel restriction code:	Category D/E	EmS codes:	F-E-S-E
Physico-Chemical properties:	See section 9	Physico-chemicalproperties:	See section 9
Limited Quantities:	Non-applicable	Limited quantities:	Non-applicable
14.7 - Transport in bulk according		14.7 - Transport in bulk according to	
to Annex II of Marpol and IBC Code:	Non-applicable	Annex II of Marpol and IBC code:	Non-applicable
Transport of dangerous goods by air			
With regard to IATA/ICAO 2015:			
14.1 - UN number:	UN1993		
14.2 - UN proper shipping name:	FLAMMABLE LIQUID N.O.S.		
	(contains Tetraethyl silicate solution)		
14.3 - Transport hazard class(es):	Non-applicable		
Labels:	Non-applicable		
14.4 - Packing group			
14.5 - Dangerous for the environment:	No		
14.6 - Special precautions for user			
Physico-Chemical properties:	See section 9		
14.7 - Transport in bulk according			
to Annex II of Marpol and IBC Code:	Non-applicable		
Packing instruction (Cargo):	••		
Maximum quantity:			
Packing instruction (Passenger)			
Maximum quantity:			
. ,			

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations:

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commision Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commision Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH): Non-applicable

Specific provision in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product

Other legislation:

The product could be affected by sectorial legislation

Regulation (EC) No 2003/2003 of the European Parliament and of the Council of 13 October 2003 relating to fertilisers

15.2 Chemical Safety Assessment

Chemical safety assessment:

No data available

Section 16 Other information

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Annex II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EU) N° 453/2010, Regulation (EC) N° 2015/830) Modifications related to the previous security card which concerns the ways of managing risks: Non-applicable Texts of the legislative phrases mentioned in section 2: H226 - Flammable liquid and vapour H319 - Causes serious eye irritation H332 - Harmful if inhaled H335 - May cause respiratory irritation H312+H332 - Harmful in contact with skin or if inhaled H411 - Toxic to aquatic life with long lasting effects H302+H332 - Harmful if swallowed or inhaled H315 - Causes skin irritation H318 - Causes serious eye damage Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) n° 1272/2008: Flam. Lig. 3: H226 Flammable liquid and vapour Eye Irrit. 2: H319 Causes serious eye irritation Acute Tox. 4: H332 Harmful if inhaled STOT SE 3: H335 May cause respiratory irritation Acute Tox.4: H312+H332 Harmful in contact with skin or if inhaled Aquatic Chronic 2. H411 Toxic to aquatic life with long lasting effects Acute tox. 4:H302+H332 Harmful if swallowed or inhaled Skin Irrit. 2: H315 Causes skin irritation Eye Dam. 1: H318 Causes serious eye damage

Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.